



NHR ORGANIC OILS  
24 CHATHAM PLACE, BRIGHTON, BN1 3TN, UK  
+44 (0)1273 746505 [info@nhrorganiccoils.com](mailto:info@nhrorganiccoils.com) [www.nhrorganiccoils.com](http://www.nhrorganiccoils.com)

## Safety Data Sheet

# Organic Cardamom Essential Oil



(*Elettaria cardamomum*)

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
<b>1.1</b> PRODUCT IDENTIFICATION					
PRODUCT NAME	CARDAMOM, ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	ELETTARIA CARDAMOMUM SEED OIL IS THE VOLATILE OIL OBTAINED FROM THE DRIED RIPE SEEDS OF ELETTARIA CARDAMOMUM, ZINGIBERACEAE.				
INCI NAME	ELETTARIA CARDAMOMUM SEED OIL				
SYNONYMS & TRADE NAMES	N/A				
CAS-No	8000-66-6 / 85940-32-5	EC No.	288-922-1	EINECS No.	288-922-1
<b>1.2</b> DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	NHR Organic Oils 24 Chatham Place, Brighton. BN1 3TN. UK				
EMAIL	<a href="mailto:INFO@NHRORGANICOILS.COM">INFO@NHRORGANICOILS.COM</a>				
<b>1.3</b> DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	01273 746505				

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.

## SECTION 2: HAZARDS IDENTIFICATION

<b>2.1</b> CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
<b>CLASSIFICATION (67/548/EEC)</b>	NO ADDITIONAL DATA AVAILABLE.
<b>CLASSIFICATION (EU1272/2008)</b>	<p><b>PHYSICAL AND CHEMICAL HAZARDS:</b> FLAMMABLE LIQUID, HAZARD CATEGORY 3 H226, FLAMMABLE LIQUID AND VAPOUR.</p> <p><b>HUMAN HEALTH:</b> SKIN CORROSION / IRRITATION CATEGORY 2 H315, CAUSES SKIN IRRITATION</p> <p>EYE IRRITATION. EYE DAMAGE / IRRITATION CATEGORY 2 H319, CAUSES SERIOUS SENSITIZATION - SKIN CATEGORY 1 H317, MAY CAUSE AN ALLERGIC SKIN REACTION.</p> <p>SWALLOWED AND ENTERS ENVIRONMENT: ASPIRATION HAZARD CATEGORY 1 H304, MAY BE FATAL IF AIRWAYS. HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD CATEGORY 2 H411, TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</p>
<b>2.2</b> LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
<b>GHS LABEL</b>	    <p style="text-align: center;">GHS02                      GHS07                      GHS08                      GHS09</p>
<b>SIGNAL WORD</b>	DANGER.
<b>CONTAINS</b>	D-LIMONENE, MYRCENE, ALPHA-PINENE
<b>HAZARDS STATEMENT</b>	<p>H226, FLAMMABLE LIQUID AND VAPOUR.</p> <p>H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.</p> <p>H315, CAUSES SKIN IRRITATION.</p> <p>H317, MAY CAUSE AN ALLERGIC SKIN REACTION.</p> <p>H319, CAUSES SERIOUS EYE IRRITATION.</p> <p>H411, TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</p>
<b>PRECAUTIONARY STATEMENTS</b>	<p>P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING.</p> <p>P233, KEEP CONTAINER TIGHTLY CLOSED.</p> <p>P240, GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.</p> <p>P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT.</p> <p>P242, USE ONLY NON-SPARKING TOOLS.</p> <p>P243, TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.</p> <p>P261, AVOID BREATHING VAPOUR OR DUST.</p> <p>P264, WASH HANDS AND OTHER CONTACTED SKIN THOROUGHLY AFTER HANDLING.</p> <p>P272, CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.</p> <p>P273, AVOID RELEASE TO THE ENVIRONMENT.</p> <p>P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.</p> <p>P301/310, IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.</p> <p>P303/361/353, IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.</p> <p>P305/351/338, IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.</p> <p>P331, DO NOT INDUCE VOMITING.</p> <p>P333/313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.</p> <p>P337/313, IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.</p> <p>P362, TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.</p> <p>P370/378, IN CASE OF FIRE: USE CARBON DIOXIDE, DRY CHEMICAL, FOAM FOR EXTINCTION.</p> <p>P391, COLLECT SPILLAGE.</p> <p>P403/235, STORE IN A WELL-VENTILATED PLACE. KEEP COOL.</p>

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*

	P501, DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS.
<b>SUPPLEMENTARY PRECAUTIONARY STATEMENTS</b>	NONE.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
<b>2.3 OTHER HAZARDS</b>	
<b>ADVERSE PHYSIO-CHEMICAL PROPERTIES</b>	NO DATA
<b>ADVERSE EFFECTS ON HUMAN HEALTH</b>	NO DATA
<b>PBT OR VPvB ACCORDING TO ANNEX XIII</b>	THIS SUBSTANCE DOES NOT MEET THE PBT/VPvB CRITERIA OF REACH, ANNEX XIII.
<b>SECTION 3: COMPOSITION OF INGREDIENTS</b>	
<b>3.1 SUBSTANCES</b>	NOT APPLICABLE.
<b>3.2 MIXTURES</b>	<p><b>≤32.0% EUCALYPTOL</b> CAS-No: 470-82-6 EC No: 207-431-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN SENS. 1B -H317</p> <p><b>≤8.0% LINALYL ACETATE</b> CAS-No: 115-95-7 EC No: 204-116-4 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 H315, SKIN SENS. 1B H317, EYE IRRIT. 2 H319</p> <p><b>≤5.0% LINALOOL</b> CAS-No: 78-70-6 EC No: 201-134-4 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 H315, SKIN SENS. 1B H317, EYE IRRIT. 2 H319</p> <p><b>≤4.0% D-LIMONENE</b> CAS-No: 5989-27-5 EC No: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 H226, ASP. TOX. 1 H304, SKIN IRRIT. 2 H315, SKIN SENS. 1A H317, AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p> <p><b>≤3.0% ALPHA-TERPINEOL</b> CAS-No: 98-55-5 EC No: 202-680-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 H315, EYE IRRIT. 2 H319</p> <p><b>≤3.0% MYRCENE</b> CAS-No: 123-35-3 EC No: 204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 H226, ASP. TOX. 1 H304, SKIN IRRIT. 2 H315, EYE IRRIT. 2 H319, AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p> <p><b>≤2.5% ALPHA-PINENE</b> CAS-No: 80-56-8 EC No: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 H226, ACUTE TOX. 4 H302, ASP. TOX. 1 H304, SKIN IRRIT. 2 H315, SKIN SENS. 1A H317, AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p> <p><b>≤2.0% GERANIOL</b> CAS-No: 106-24-1 EC No: 203-377-1 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 H315, SKIN SENS. 1A H317, EYE DAM. 1 H318</p> <p><b>≤1.5% CITRAL</b> CAS-No: 5392-40-5 EC No: 226-394-6 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 H315, SKIN SENS. 1B H317, EYE IRRIT. 2 H319</p> <p><b>≤1.5% NEROLIDOL (ISOMER UNSPECIFIED)</b> CAS-No: 7212-44-4 EC No: 230-597-5 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B H317, EYE IRRIT. 2 H319, AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p> <p><b>≤1.0% TERPINOLENE</b> CAS-No: 586-62-9 EC No: 209-578-0 CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 H304, SKIN SENS. 1B H317, AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p>

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*

	<p>≤1.0% BETA-PINENE CAS-No: 127-91-3 EC No: 204-872-5  CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 H226, ASP. TOX. 1 H304, SKIN IRRIT. 2 H315, SKIN SENS. 1B H317,  AQUATIC ACUTE 1 H400, AQUATIC CHRONIC 1 H410</p>
--	--

SECTION 4: FIRST AID MEASURES	
<b>4.1</b> DESCRIPTION OF FIRST AID MEASURES	
<b>GENERAL INFORMATION</b>	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
<b>INHALATION</b>	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
<b>INGESTION</b>	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALL THE DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
<b>SKIN CONTACT</b>	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
<b>EYE CONTACT</b>	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
<b>4.2</b> MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.
<b>4.3</b> INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

SECTION 5: FIRE FIGHTING MEASURES	
<b>5.1</b> EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
<b>5.2</b> SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
<b>5.3</b> ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES	
<b>6.1</b> PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION.
<b>6.2</b> ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
<b>6.3</b> METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. COVER WITH AN INERT, INORGANIC, NON-COMBUSTIBLE ABSORBENT MATERIAL (E.G DRY-LIME, SAND, SODA ASH).
<b>6.4</b> REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8 AND 13.

SECTION 7: HANDLING & STORAGE	
<b>7.1</b> PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
<b>7.2</b> CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. USE ONLY NON-SPARKING TOOLS. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.


*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*

<b>7.3</b> SPECIFIC END USE(S)	FLAVOURS, FRAGRANCES: USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES.
<b>SECTION 8: EXPOSURE CONTROLS &amp; PERSONAL PROTECTION</b>	
<b>8.1</b> CONTROL PARAMETERS	NO DATA.
<b>8.2</b> EXPOSURE CONTROLS	
<b>EYE PROTECTION</b>	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)
<b>HAND PROTECTION</b>	AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.
<b>RESPIRATORY EQUIPMENT</b>	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD-UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
<b>HYGIENE MEASURES</b>	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
<b>ENGINEERING MEASURES</b>	PROVIDE ADEQUATE VENTILATION.
<b>SKIN PROTECTION</b>	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
<b>PERSONAL PROTECTION</b>	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.
<b>OTHER PROTECTION</b>	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
<b>PROCESS CONDITIONS</b>	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
<b>ENVIROMENTAL EXPOSURE CONTROLS</b>	AVOID DISCHARGING INTO DRAINAGE WATER.
<b>SECTION 9: PHYSICAL &amp; CHEMICAL PROPERTIES</b>	
<b>9.1</b> PHYSICAL & CHEMICAL PROPERTIES	
<b>APPEARANCE</b>	LIQUID
<b>COLOUR</b>	VERY PALE STRAW YELLOW TO BROWNISH YELLOW.
<b>ODOUR</b>	CHARACTERISTIC
<b>RELATIVE DENSITY @ 20°C</b>	APPROX. 0.912 @ 20°C
<b>FLASH POINT (°C)</b>	57 °C.
<b>REFRACTIVE INDEX @ 20 °C</b>	APPROX. 1.462 @ 20°C
<b>SOLUBILITY IN WATER @ 20 °C</b>	INSOLUBLE IN WATER
<b>9.2</b> OTHER INFORMATION	NO DATA.

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*



<b>SECTION 13: DISPOSAL INFORMATION</b>	
<b>13.1 WASTE TREATMENT METHODS</b>	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

<b>SECTION 14: TRANSPORT INFORMATION</b>	
<b>14.1 TRANSPORT INFORMATION</b>	
<b>UN NUMBER</b>	<b>ROAD:</b> UN 1169 <b>SEA:</b> UN 1169 <b>AIR:</b> UN 1169
<b>14.2 UN SHIPPING NAME</b>	EXTRACTS, AROMATIC, LIQUID.
<b>14.3 TRANSPORT HAZARD CLASS(ES)</b>	ADR/RID ADR/RID- CLASS 3 ADR CLASSIFICATION CODE – F1 SPECIAL PROVISIONS – 601 604E LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 EMERGENCY ACTION CODE – 3Y TUNNEL RESTRICTION CODE – D/E  IMDG IMDG – CLASS 3 SPECIAL PROVISIONS – 601 640E LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 IMDG EMS – F-E, S-D STOWAGE AND HANDLING – CATEGORY A  ICAO/IATA ICAO/IATA- CLASS 3 IATA PROPER SHIPPING NAME - EXTRACTS, AROMATIC, LIQUID EXPECTED QUANTITIES – E1 TRANSPORT LABELS:
<b>14.4 PACKING GROUP</b>	ADR/RID PACKING GROUP      III IMDG PACKING GROUP      III ICAO PACKING GROUP      III
<b>14.5 ENVIROMENTAL HAZARDS</b>	ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT. 
<b>14.6 SPECIAL PRECAUTIONS FOR USER</b>	NONE.
<b>14.7</b>	NONE.

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	
<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>15.1</b> PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
<b>EU DIRECTIVES</b>	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 <sup>TH</sup> DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
<b>STATUTORY INSTRUMENTS</b>	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716)).
<b>APPROVED CODE OF PRACTICE</b>	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
<b>GUIDANCE NOTES</b>	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
<b>15.2</b> CHEMICAL SAFETY ASSESSMENT	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

<b>SECTION 16: OTHER INFORMATION</b>	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H319 CAUSES SERIOUS EYE IRRITATION. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
<b>ABBREVIATIONS &amp; ACRONYMS:</b>	
<b>MSDS</b>	MATERIAL SAFETY DATA SHEET.
<b>INCI</b>	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
<b>CAS</b>	CHEMICAL ABSTRACT SERVICE.
<b>IMDG</b>	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
<b>ADR</b>	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
<b>RID</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
<b>ICAO</b>	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
<b>ADN</b>	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
<b>GHS</b>	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
<b>TREM CARD</b>	TRANSPORT EMERGENCY CARD.
<b>STOT</b>	SPECIFIC TARGET ORGAN TOXICITY.

*The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with NHR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations.*